



Catalog for Xicato

LED Coolers



Mingfa Tech Manufacturing Limited
Tel: +86-769-33252828 +86-769-33251919
E-fax: +86-(020)28819702 ext:22122
Email:sales@mingfatech.com
[Http://www.heatsinkled.com](http://www.heatsinkled.com)
[Http://www.mingfatech.com](http://www.mingfatech.com)

Version-2015

EtraLED LED Cooling Series

EtraLED-XIT-4850

Xicato Modular Star LED Heat Sink
For XIM, XTM and XSM LED
modules in Standard, Artist &
Vibrant color variant
Thermal class E .
ø48mm – h50mm - Rth 4.2° C/W.
Cooling performance 300 - 1600 lm
2 standard colors - clear anodised -
black anodised



EtraLED-XIT-4880

Xicato Modular Star LED Heat Sink
For XIM, XTM and XSM LED
modules in Standard, Artist &
Vibrant color variant
Thermal class F
ø48mm – h80mm - Rth 3.6° C/W.
Cooling performance 500 - 1800 lm
2 standard colors - clear anodised -
black anodised



XSA-307

Xicato Modular Star LED Heat Sink
For XIM, XTM and XSM LED
modules in Standard, Artist &
Vibrant color variant
Thermal class G.
ø70mm – h50mm - Rth 2.1° C/W
Cooling performance 600 - 2200 lm
2 standard colors - clear anodised -
black anodised



XSA-308

Xicato Modular Star LED Heat Sink
For XIM, XTM and XSM LED
modules in Standard, Artist &
Vibrant color variant
Thermal class H.
ø70mm – h80mm - Rth 1.75° C/W
Cooling performance 1200 - 2500 lm
2 standard colors - clear anodised -
black anodised




EtraLED-XIT-8550

Xicato Modular Star LED Heat Sink
For XIM, XTM and XSM LED
modules in Standard, Artist &
Vibrant color variant
Thermal class H .
ø85mm – h50mm - Rth 1.5° C/W
Cooling performance 1500 - 3800 lm
2 standard colors - clear anodised -
black anodised



EtraLED-XIT-8580

Xicato Modular Star LED Heat Sink
For XIM, XTM and XSM LED
modules in Standard, Artist &
Vibrant color variant
Thermal class K.
ø85mm – h80mm - Rth 1.3° C/W
Cooling performance 2000 - 4700 lm
2 standard colors - clear anodised -
black anodised



XSA-309

Xicato Modular Star LED Heat Sink
For XIM, XTM and XSM LED
modules in Standard, Artist &
Vibrant color variant
Thermal class N.
ø96mm – h50mm - Rth 1.2° C/W
Cooling performance 1300 - 3000 lm
2 standard colors - clear anodised -
black anodised




XSA-310

Xicato Modular Star LED Heat Sink
For XIM, XTM and XSM LED
modules in Standard, Artist &
Vibrant color variant
Thermal class Q.
Ø96mm – h80mm - Rth 0.9° C/W
Cooling performance 2000 - 4300 lm
2 standard colors - clear anodised -
black anodised




EtraLED-XIT-11050

Xicato Modular Star LED Heat Sink
For XIM, XTM and XSM LED
modules in Standard, Artist &
Vibrant color variant
Thermal class Q .
ø110mm – h50mm - Rth 1.1° C/W
Cooling performance 1500 - 5500 lm
2 standard colors - clear anodised -
black anodised



EtraLED-XIT-11080

Xicato Modular Star LED Heat Sink
For XIM, XTM and XSM LED
modules in Standard, Artist &
Vibrant color variant
Thermal class Q .
ø110mm – h80mm - Rth 0.9° C/W
Cooling performance 2000 - 6500 lm
2 standard colors - clear anodised -
black anodised



EtraLED-XIT-130

Xicato Modular Star LED Heat Sink
For XIM, XTM and XSM LED
modules in Standard, Artist &
Vibrant color variant
Thermal class Q .
ø130mm – h40mm - Rth 1.02° C/W
Cooling performance 2000 - 4500lm
2 standard colors - clear anodised -
black anodised



XSA-311

Xicato Modular Star LED Heat Sink
For XIM, XTM and XSM LED
modules in Standard, Artist &
Vibrant color variant
Thermal class Q .
ø135mm – h40mm - Rth 1.1° C/W
Cooling performance 2000 - 4500 lm
2 standard colors - clear anodised -
black anodised



GooLED LED Cooling Series

XSA-316

Xicato Modular Pin Fin LED
Heatsink
For XIM, XTM and XSM LED
modules in Standard, Artist &
Vibrant color variant
Thermal class D.
ø48mm – h30mm - Rth 5.7° C/W
Cooling performance 400 - 1200 lm
2 standard colors - clear anodised -
black anodised



XSA-317

Xicato Modular Pin Fin LED
Heatsink
For XIM, XTM and XSM LED
modules in Standard, Artist &
Vibrant color variant
Thermal class E.
ø48mm – h50mm - Rth 4.2° C/W
Cooling performance 500 - 1600 lm
2 standard colors - clear anodised -
black anodised



XSA-318

Xicato Modular Pin Fin LED
Heatsink
For XIM, XTM and XSM LED
modules in Standard, Artist &
Vibrant color variant
Thermal class E.
ø48mm – h68mm - Rth 3.7° C/W
Cooling performance 900 - 2000 lm
2 standard colors - clear anodised -
black anodised



XSA-319

Xicato Modular Pin Fin LED
Heatsink
Pin Fin LED Heatsink
For XIM, XTM and XSM LED
modules in Standard, Artist &
Vibrant color variant
Thermal class E.
ø48mm – h50mm - Rth 4.2° C/W
Cooling performance 500 - 1600 lm
2 standard colors - clear anodised -
black anodised



XSA-320

Xicato Modular Pin Fin LED
Heatsink
For XIM, XTM and XSM LED
modules in Standard, Artist &
Vibrant color variant
Thermal class F.
ø58mm – h50mm - Rth 3.3° C/W
Cooling performance 600 - 1900 lm
2 standard colors - clear anodised -
black anodised



XSA-321

Xicato Modular Pin Fin LED
Heatsink
For XIM, XTM and XSM LED
modules in Standard, Artist &
Vibrant color variant
Thermal class F.
ø68mm – h30mm - Rth 3.5° C/W
Cooling performance 700 - 1800 lm
2 standard colors - clear anodised -
black anodised



XSA-322

Xicato Modular Pin Fin LED
Heatsink
For XIM, XTM and XSM LED
modules in Standard, Artist &
Vibrant color variant
Thermal class H.
ø68mm – h50mm - Rth 2.7° C/W
Cooling performance 900 - 2400 lm
2 standard colors - clear anodised -
black anodised



GooLED-XIT-6860

Xicato Modular Pin Fin LED
Heatsink
For XIM, XTM and XSM LED
modules in Standard, Artist &
Vibrant color variant
Thermal class H.
ø68mm – h60mm - Rth 2.5° C/W
Cooling performance 1200 - 3000 lm
2 standard colors - clear anodised -
black anodised



XSA-325

Xicato Modular Pin Fin LED
Heatsink
For XIM, XTM and XSM LED
modules in Standard, Artist &
Vibrant color variant
Thermal class G.
ø78mm – h30mm - Rth 2.7° C/W
Cooling performance 700 - 2400 lm
2 standard colors - clear anodised -
black anodised



XSA-326

Xicato Modular Pin Fin LED
Heatsink
For XIM, XTM and XSM LED
modules in Standard, Artist &
Vibrant color variant
Thermal class H.
ø78mm – h50mm - Rth 2.1° C/W
Cooling performance 1200 - 3200 lm
2 standard colors - clear anodised -
black anodised



XSA-327

Xicato Modular Pin Fin LED
Heatsink
For XIM, XTM and XSM LED
modules in Standard, Artist &
Vibrant color variant
Thermal class N.
ø110mm – h50mm - Rth 1.3° C/W
Cooling performance 1200 - 3100 lm
2 standard colors - clear anodised -
black anodised



XSA-328

Xicato Modular Pin Fin LED
Heatsink
For XIM, XTM and XSM LED
modules in Standard, Artist &
Vibrant color variant
Thermal class Q.
ø110mm – h80mm - Rth 1.0° C/W
Cooling performance 2500 - 6500 lm
2 standard colors - clear anodised -
black anodised



Xicato old Heatsink Series

XSA-37

Xicato Modular Star LED Heat Sink
For XIM, XTM and XSM LED
modules in Standard, Artist &
Vibrant color variant
Thermal class D
ø49mm - h30mm - Rth 6.9° C/W
Cooling performance 300 - 900 lm
2 standard colors - clear anodised -
black anodised



XSA-38

Xicato Modular Star LED Heat Sink
For XIM, XTM and XSM LED
modules in Standard, Artist &
Vibrant color variant
Thermal class G
ø70mm - h70mm - Rth 2.5° C/W
Cooling performance 800 - 2,300 lm
2 standard colors - clear anodised -
black anodised



XSA-39

Xicato Modular Star LED Heat Sink
For XIM, XTM and XSM LED
modules in Standard, Artist &
Vibrant color variant
Thermal class F
ø70mm - h40mm - Rth 3.1° C/W
Cooling performance 600 - 1,800 lm
2 standard colors - clear anodised -
black anodised



XSA-31

Xicato Modular Star LED Heat Sink
For XSM LED modules in Standard,
Artist & Vibrant color variant
Thermal class L
ø99mm - h40mm - Rth 1.6° C/W
Cooling performance
1,200 - 3,000 lm
2 standard colors - clear anodised -
black anodised




XSA-27

Xicato Modular Star LED Heat Sink
For XSM LED modules in Standard,
Artist & Vibrant color variant
Thermal class N
ø99mm - h70mm - Rth 1.2° C/W
Cooling performance
1,600 - 3,300 lm
2 standard colors - clear anodised -
black anodised



XSA-54

Xicato Modular Star LED Heat Sink
For XSM LED modules in Standard,
Artist & Vibrant color variant
Thermal class Q
ø120mm - h87mm - Rth 0.9° C/W
Cooling performance
2,200 - 4,500 lm
2 standard colors - clear anodised -
black anodised



XSA-28

Xicato Modular Star LED Heat Sink
For XSM LED modules in Standard,
Artist & Vibrant color variant
Thermal class Q
ø134mm - h40mm - Rth 1.0° C/W
Cooling performance
2,200 - 4,300 lm
2 standard colors - clear anodised -
black anodised



XSA-46

Thermal resistance Rth 3.1° C/W
Xicato accessory reference XSA-46
- thermal class F
Designed for :Xicato XSM, XIM;
Diameter 80mm - Standard height
36.6mm ,
Other heights on request
2 standard colors - clear anodised -
black anodised



XSA-47

Thermal resistance R_{th} 3.08° C/W
Xicato accessory reference XSA-47
- thermal class F
Designed for Xicato: XSM, XIM
Diameter 70mm - Standard height
35mm ,
Other heights on request
2 standard colors - clear anodised -
black anodised




XLA-17

Thermal resistance R_{th} 2.5° C/W
Xicato accessory reference XLA-17
-thermal class G
Designed for Xicato XLM LED series
Dimensions - 70mm(W) x 85mm(L)
x 25mm(H)
2 standard colors - clear anodised -
black anodised



XLA-15

Xicato LED Extruded Heat Sink
For XLM LED modules
in Standard & Artist color variant
Thermal class R
L140mm - W101mm - h35mm
Cooling performance
2,000 - 3,500 lm
2 standard colors - clear anodised -
black anodised



XLA-16

Xicato LED Extruded Heat Sink
For XLM LED modules
in Standard & Artist color variant
Thermal class T
L140mm - W101mm - h50mm
Cooling performance
2,500 - 4,500 lm
2 standard colors - clear anodised -
black anodised



XSA-07

DIECAST ALUMINUM ADC6 ,
Xicato accessory reference XSA-07
Designed for Xicato Moudules
Diameter 49.5x8.5mm,
GLASS BEAD BLAST #120 AND
CLEAR CHROMATE



X00517

CAP, 70MM DIA REFLECTOR
Diameter 72.8x10.5mm,



XIT-046

Xicato spacer for conversion XTM to
XSM
Diameter 46mm, Standard height
11.5mm ,
Other heights on request
2 standard colors - clear anodised -
black anodised

